

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1 Product identifier

**Getriebeöl SAE 75W-80**  
**Article number: 197766**

### 1.2 Relevant identified uses of the substance or mixture and uses advised against

#### 1.2.1 Relevant uses

Gearbox oil

#### 1.2.2 Uses advised against

None known.

### 1.3 Details of the supplier of the safety data sheet

**Company** Ferdinand Bilstein GmbH + Co. KG  
Wilhelmstr. 47  
58256 Ennepetal / GERMANY  
Phone +49 2333 911-0  
Fax +49 2333 911-444  
Homepage [www.febi.com](http://www.febi.com)  
E-mail [info@febi.com](mailto:info@febi.com)

#### Address enquiries to

**Technical information** [info@febi.com](mailto:info@febi.com)

**Safety Data Sheet** [info@febi.com](mailto:info@febi.com)

### 1.4 Emergency telephone number

**Advisory body** +49 (0)89-19240 (24h) (English)

## SECTION 2: Hazards identification

### 2.1 Classification of the substance or mixture [REGULATION (GB) CLP]

Aquatic Chronic 3: H412 Harmful to aquatic life with long lasting effects.

### 2.2 Label elements

The product is required to be labelled in accordance with regulation CLP.

**Hazard pictograms** none

**Signal word** none

**Hazard statements** H412 Harmful to aquatic life with long lasting effects.

**Precautionary statements** P273 Avoid release to the environment.

P501 Dispose of contents/container in accordance with local/national regulation.

**Special labelling** Contains: Reaction products of bis(4-methylpentan-2-yl)dithiophosphoric acid with phosphorus oxide, propylene oxide and amines, C12-14-alkyl (branched). EUH208 May produce an allergic reaction.

### 2.3 Other hazards

**Physico-chemical hazards** No particular hazards known.

**Human health dangers** Frequent persistent contact with the skin can cause skin irritation.

**Environmental hazards** Does not contain any PBT or vPvB substances.

Contains no ingredients with endocrine-disrupting properties.

**Other hazards** none

## SECTION 3: Composition / Information on ingredients

### 3.1 Substances

not applicable

### 3.2 Mixtures

The product is a mixture.

Range [%]	Substance
20 - <60	Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based CAS: 72623-87-1, EINECS/ELINCS: 276-738-4, EU-INDEX: 649-483-00-5, Reg-No.: 01-2119474889-13-XXXX GHS/CLP: Asp. Tox. 1: H304
10 - <50	1-Decene, homopolymer, hydrogenated CAS: 68037-01-4, EINECS/ELINCS: 500-183-1, Reg-No.: 01-2119486452-34-XXXX GHS/CLP: Asp. Tox. 1: H304
0,1 - <1	Reaction products of bis(4-methylpentan-2-yl)dithiophosphoric acid with phosphorus oxide, propylene oxide and amines, C12-14-alkyl (branched) EINECS/ELINCS: 931-384-6, Reg-No.: 01-2119493620-38-XXXX GHS/CLP: Acute Tox. 4: H302 - Eye Irrit. 2: H319 - Skin Sens. 1: H317 - Aquatic Chronic 2: H411 SCL [%]: 9,39 - 100: Skin Sens. 1: H317, >50 - 100: Eye Irrit. 2: H319
<0,25	C16-18-(even numbered, saturated and unsaturated)-alkylamines CAS: 1213789-63-9, EINECS/ELINCS: 627-034-4, Reg-No.: 01-2119473797-19-XXXX GHS/CLP: Acute Tox. 4: H302 - Asp. Tox. 1: H304 - Skin Corr. 1B: H314 - Eye Dam. 1: H318 - STOT SE 3: H335 - STOT RE 2: H373 - Aquatic Acute 1: H400 - Aquatic Chronic 1: H410, M-Factor (acute): 10, M-Factor (chronic): 10

#### Comment on component parts

For full text of H-statements and R-phrases: see SECTION 16.  
Contains less than 3% w/w DMSO-extract (only for mineral oils)

## SECTION 4: First aid measures

### 4.1 Description of first aid measures

#### General information

Change soaked clothing.

#### Inhalation

Ensure supply of fresh air.  
In the event of symptoms seek medical treatment.

#### Skin contact

In case of contact with skin wash off immediately with soap and water.  
Consult a doctor if skin irritation persists.

#### Eye contact

Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
If eye irritation persists: Get medical advice/attention.

#### Ingestion

Do not induce vomiting.  
Rinse out mouth and give plenty of water to drink.  
Get medical advice.

### 4.2 Most important symptoms and effects, both acute and delayed

No information available.

### 4.3 Indication of any immediate medical attention and special treatment needed

If swallowed or in the event of vomiting, risk of product entering the lungs.  
Treat symptomatically.  
Forward this sheet to your doctor.

## SECTION 5: Fire-fighting measures

### 5.1 Extinguishing media

#### Suitable extinguishing media

Foam, dry powder, water spray jet, carbon dioxide

#### Extinguishing media that must not be used

Full water jet

### 5.2 Special hazards arising from the substance or mixture

Not combusted hydrocarbons.  
Risk of formation of toxic pyrolysis products.  
Carbon monoxide (CO)

### 5.3 Advice for firefighters

Use self-contained breathing apparatus.

Fire residues and contaminated firefighting water must be disposed of in accordance with the local regulations.

## SECTION 6: Accidental release measures

### 6.1 Personal precautions, protective equipment and emergency procedures

High risk of slipping due to leakage/spillage of product.  
Forms slippery surfaces with water.

### 6.2 Environmental precautions

Prevent spread over a wide area (e.g. by containment or oil barriers).  
Do not discharge into the drains/surface waters/groundwater.  
In case the product spills into drains/surface waters/groundwater, immediately inform the authorities.

### 6.3 Methods and material for containment and cleaning up

Take up residues with absorbent material (e.g. sand).  
Dispose of absorbed material in accordance with the regulations.

### 6.4 Reference to other sections

See SECTION 8+13

## SECTION 7: Handling and storage

### 7.1 Precautions for safe handling

No special measures necessary if used correctly.  
Avoid formation of aerosols.  
The product is combustible.  
Do not eat, drink or smoke when using this product.  
Use barrier skin cream.  
Wash hands before breaks and after work.  
Contaminated work clothing should not be allowed out of the workplace.  
Take off contaminated clothing and wash before reuse.

### 7.2 Conditions for safe storage, including any incompatibilities

Keep only in original container.  
Prevent penetration into the ground.  
Do not store together with food and animal food/diet.  
Keep container tightly closed.  
Protect from heat/overheating.

### 7.3 Specific end use(s)

See product use, SECTION 1.2

**SECTION 8: Exposure controls / personal protection**

**8.1 Control parameters**

**Ingredients with occupational exposure limits to be monitored (UK)**

Substance
1-Decene, homopolymer, hydrogenated
CAS: 68037-01-4, EINECS/ELINCS: 500-183-1, Reg-No.: 01-2119486452-34-XXXX
Long-term exposure: 5 mg/m <sup>3</sup> , OSHA PEL

**Ingredients with occupational exposure limits to be monitored EU (2004/37/EG)**

not relevant

**DNEL**

Substance
1-Decene, homopolymer, hydrogenated, CAS: 68037-01-4
There are no DNEL values established for the substance.
Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based, CAS: 72623-87-1
Industrial, inhalative, Long-term - systemic effects, 2.73 mg/m <sup>3</sup>
Industrial, inhalative, Long-term - local effects, 5.58 mg/m <sup>3</sup>
Industrial, dermal, Long-term - systemic effects, 970 µg/kg bw/day
general population, oral, Long-term - systemic effects, 0.74mg/kg bw/day
C16-18-(even numbered, saturated and unsaturated)-alkylamines, CAS: 1213789-63-9
Industrial, inhalative, Long-term - systemic effects, 0,38 mg/m <sup>3</sup>
Industrial, inhalative, Long-term - local effects, 1 mg/m <sup>3</sup>
Industrial, inhalative, Acute - local effects, 1 mg/m <sup>3</sup>
general population, inhalative, Long-term - systemic effects, 0,035 mg/m <sup>3</sup>
general population, oral, Long-term - systemic effects, 40 µg/kg bw/d
Reaction products of bis(4-methylpentan-2-yl)dithiophosphoric acid with phosphorus oxide, propylene oxide and amines, C12-14-alkyl (branched)
Industrial, inhalative, Long-term - systemic effects, 4.28 mg/m <sup>3</sup>
Industrial, dermal, Long-term - systemic effects, 12.5 mg/kg bw/day
Industrial, dermal, Long-term - local effects, 160 µg/cm <sup>2</sup>
Industrial, dermal, Acute - local effects, 160 µg/cm <sup>2</sup>
general population, inhalative, Long-term - systemic effects, 1.09 mg/m <sup>3</sup>
general population, dermal, Long-term - systemic effects, 6.25 mg/kg bw/day
general population, dermal, Long-term - local effects, 160 µg/cm <sup>2</sup>
general population, dermal, Acute - local effects, 160 µg/cm <sup>2</sup>
general population, oral, Long-term - systemic effects, 250 µg/kg bw/day

**PNEC**

Substance
1-Decene, homopolymer, hydrogenated, CAS: 68037-01-4
There are no PNEC values established for the substance.
Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based, CAS: 72623-87-1
oral (food), 9.33 mg/kg food
C16-18-(even numbered, saturated and unsaturated)-alkylamines, CAS: 1213789-63-9
freshwater, 0,26 µg/L
seawater, 0,026 µg/L
sewage treatment plants (STP), 550 µg/L
sediment (freshwater), 3,76 mg/kg dw
sediment (freshwater), 0,376 mg/kg dw
soil, 10 mg/kg dw
Reaction products of bis(4-methylpentan-2-yl)dithiophosphoric acid with phosphorus oxide, propylene oxide and amines, C12-14-alkyl (branched)
freshwater, 2.4 µg/L

seawater, 240 ng/L
sewage treatment plants (STP), 24.33 mg/L
sediment (freshwater), 12.9 µg/kg sediment dw
sediment (seawater), 1.29 µg/kg sediment dw
soil, 1.17 µg/kg soil dw

## 8.2 Exposure controls

<b>Additional advice on system design</b>	Ensure adequate ventilation on workstation. Measurement methods for taking workplace measurements must meet the performance requirements of DIN EN 482. For example, recommendations are given in the IFA's list of hazardous substances. General exposure limit for oil mist should be noted.
<b>Eye protection</b>	If there is a risk of splashing: safety glasses (EN 166:2001)
<b>Hand protection</b>	The details concerned are recommendations. Please contact the glove supplier for further information. > 0,4 mm; Nitrile rubber, >480 min (EN 374-1/-2/-3).
<b>Skin protection</b>	light protective clothing
<b>Other</b>	Personal protective equipment should be selected specifically for the working place, depending on concentration and quantity handled. The resistance of this equipment to chemicals should be ascertained with the respective supplier. Avoid contact with eyes and skin.
<b>Respiratory protection</b>	Not required under normal conditions. In the event of occupational exposure limits being exceeded or of inadequate ventilation: wear appropriate respiratory protection.
<b>Thermal hazards</b>	No information available.
<b>Delimitation and monitoring of the environmental exposition</b>	Comply with applicable environmental regulations limiting discharge to air, water and soil.

## SECTION 9: Physical and chemical properties

### 9.1 Information on basic physical and chemical properties

Physical state	liquid
Form	liquid
Color	brown
Odor	like mineral oil
Odour threshold	not relevant
pH-value	not applicable
pH-value [1%]	not applicable
Boiling point or initial boiling point and boiling range [°C]	No information available.
Flash point [°C]	248
Flammability	yes
Lower explosion limit	No information available.
Upper explosion limit	No information available.
Oxidising properties	no
Vapour pressure/gas pressure [kPa]	No information available.
Density [g/cm <sup>3</sup> ]	0,845 - 0,855 (20 °C / 68,0 °F)
Relative density	No information available.
Bulk density [kg/m <sup>3</sup> ]	not applicable
Solubility in water	immiscible
Solubility other solvents	No information available.
Partition coefficient n-octanol/water (log value)	No information available.
Kinematic viscosity	51 mm <sup>2</sup> /s (40° C)
Relative vapour density	No information available.
Melting point [°C]	-48
Auto-ignition temperature [°C]	No information available.
Decomposition temperature [°C]	No information available.
Particle characteristics	not applicable

### 9.2 Other information

none

## SECTION 10: Stability and reactivity

### 10.1 Reactivity

No dangerous reactions known if used as directed.

### 10.2 Chemical stability

Stable under normal ambient conditions (ambient temperature).

### 10.3 Possibility of hazardous reactions

No dangerous reactions known if used as directed.

### 10.4 Conditions to avoid

Strong heating.

### 10.5 Incompatible materials

Strong oxidizing agent.

### 10.6 Hazardous decomposition products

No hazardous decomposition products known.

## SECTION 11: Toxicological information

### 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

#### Acute oral toxicity

Product
Based on the available information, the classification criteria are not fulfilled.
Substance
1-Decene, homopolymer, hydrogenated, CAS: 68037-01-4
LD50, oral, Rat, > 5000 mg/kg bw
NOAEL, oral, Rat, 1000 - 6771 mg/kg bw/day
Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based, CAS: 72623-87-1
LD50, oral, Rat, > 5000 mg/kg bw
C16-18-(even numbered, saturated and unsaturated)-alkylamines, CAS: 1213789-63-9
LD50, oral, Rat, 1200 - 2000 mg/kg bw
Reaction products of bis(4-methylpentan-2-yl)dithiophosphoric acid with phosphorus oxide, propylene oxide and amines, C12-14-alkyl (branched)
LD50, oral, Rat, 2000 mg/kg bw (OECD 401)
NOAEL, oral, 150 mg/kg bw/day

#### Acute dermal toxicity

Product
Based on the available information, the classification criteria are not fulfilled.
Substance
1-Decene, homopolymer, hydrogenated, CAS: 68037-01-4
LD50, dermal, Rat, >2000 mg/kg bw, OECD 402
Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based, CAS: 72623-87-1
LD50, dermal, Rabbit, > 5000 mg/kg bw
C16-18-(even numbered, saturated and unsaturated)-alkylamines, CAS: 1213789-63-9
LD50, dermal, Rat, > 2000 mg/kg bw

#### Acute inhalational toxicity

Product
Based on the available information, the classification criteria are not fulfilled.
Substance
1-Decene, homopolymer, hydrogenated, CAS: 68037-01-4
LC50, inhalative, Rat, >5.2 mg/L air, OECD 403, no adverse effect observed
Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based, CAS: 72623-87-1
LC50, inhalative, Rat, > 5 mg/L, 4h

#### Serious eye damage/irritation

Based on the available information, the classification criteria are not fulfilled.

Substance
1-Decene, homopolymer, hydrogenated, CAS: 68037-01-4
Eye, non-irritating
Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based, CAS: 72623-87-1
Eye, non-irritating
C16-18-(even numbered, saturated and unsaturated)-alkylamines, CAS: 1213789-63-9
Eye, Causes serious eye damage.

#### Skin corrosion/irritation

Based on the available information, the classification criteria are not fulfilled.

Substance
1-Decene, homopolymer, hydrogenated, CAS: 68037-01-4

dermal, non-irritating
Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based, CAS: 72623-87-1
dermal, non-irritating
C16-18-(even numbered, saturated and unsaturated)-alkylamines, CAS: 1213789-63-9
dermal, corrosive

**Respiratory or skin sensitisation**      Based on the available information, the classification criteria are not fulfilled.  
May produce an allergic reaction.  
Calculation method

Substance
1-Decene, homopolymer, hydrogenated, CAS: 68037-01-4
dermal, non-sensitizing
Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based, CAS: 72623-87-1
dermal, non-sensitizing
C16-18-(even numbered, saturated and unsaturated)-alkylamines, CAS: 1213789-63-9
dermal, non-sensitizing
inhalative, non-sensitizing

**Specific target organ toxicity — single exposure**      Based on the available information, the classification criteria are not fulfilled.

Substance
C16-18-(even numbered, saturated and unsaturated)-alkylamines, CAS: 1213789-63-9
inhalative, irritant

**Specific target organ toxicity — repeated exposure**      Based on the available information, the classification criteria are not fulfilled.

Substance
Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based, CAS: 72623-87-1
NOAEC, inhalative, Rat, 980 mg/m <sup>3</sup> air
LOAEL, oral, Rat, 125 mg/kg bw/day

**Mutagenicity**      Based on the available information, the classification criteria are not fulfilled.

Substance
1-Decene, homopolymer, hydrogenated, CAS: 68037-01-4
in vitro, negativ
in vivo, negativ
Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based, CAS: 72623-87-1
in vitro, negativ

**Reproduction toxicity**      Based on the available information, the classification criteria are not fulfilled.

**- Fertility**

Substance
1-Decene, homopolymer, hydrogenated, CAS: 68037-01-4
NOAEL, oral, Rat, 1000 mg/kg bw/day, no adverse effect observed
Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based, CAS: 72623-87-1
NOAEL, oral, Rat, 1000 mg/kg bw/day

**- Development**

Substance
1-Decene, homopolymer, hydrogenated, CAS: 68037-01-4
NOAEL, oral, Rat, 1000 mg/kg bw/day, no adverse effect observed

**Carcinogenicity**      Based on the available information, the classification criteria are not fulfilled.

**Aspiration hazard**      Based on the available information, the classification criteria are not fulfilled.

**General remarks**

Toxicological data of complete product are not available.  
The toxicity data listed pertaining to the ingredients are intended for those working in the medicinal professions, experts for occupational health and safety and toxicologists.

## 11.2 Information on other hazards

<b>11.2.1 Endocrine disrupting properties</b>	Does not contain a relevant substance that meets the classification criteria.
<b>11.2.2 Other information</b>	none

## SECTION 12: Ecological information

### 12.1 Toxicity

Substance
1-Decene, homopolymer, hydrogenated, CAS: 68037-01-4
EL50, (48h), Invertebrates, >1000mg/L
NOELR, (21d), Invertebrates, 125mg/L
NOELR, (72h), Algae, 1000 mg/L
LL50, (96h), Fish, >1000mg/L
Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based, CAS: 72623-87-1
EL50, (48h), Invertebrates, > 10000 mg/L
LL50, (4d), Fish, > 100 mg/L
C16-18-(even numbered, saturated and unsaturated)-alkylamines, CAS: 1213789-63-9
LC50, (96h), Fish, 60 - 4210 µg/L
EC50, (48h), Invertebrates, 320 - 980 µg/L
EC50, (72h), Algae, 80 - 460 µg/L
NOEC, (21d), Invertebrates, 13 µg/L
Reaction products of bis(4-methylpentan-2-yl)dithiophosphoric acid with phosphorus oxide, propylene oxide and amines, C12-14-alkyl (branched)
EC50, (96h), Algae, 6.4 - 15 mg/L
EC50, (3h), Microorganisms, 2.433 g/L
EL50, (48h), Invertebrates, 91.4 mg/L
EL50, (21d), Invertebrates, 660 - 910 µg/L
LL50, (96h), Fish, 24 mg/L

### 12.2 Persistence and degradability

<b>Behaviour in environment compartments</b>	not determined
<b>Behaviour in sewage plant</b>	not determined
<b>Biological degradability</b>	not determined

Substance
1-Decene, homopolymer, hydrogenated, CAS: 68037-01-4
EC50, (16h), Microorganisms, 10 g/L
EL50, (48h), Invertebrates, 1 g/L
EL50, (48h), Algae, 1 g/L
LL50, (96h), Fish, 1 g/L
Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based, CAS: 72623-87-1
(28d), 1 - 4 %, OECD 301 B, The product is not readily biodegradable.
C16-18-(even numbered, saturated and unsaturated)-alkylamines, CAS: 1213789-63-9
(28d), 66 %, OECD 301 B

### 12.3 Bioaccumulative potential

No information available.

#### 12.4 Mobility in soil

No information available.

#### 12.5 Results of PBT and vPvB assessment

Based on all available information not to be classified as PBT or vPvB respectively.

#### 12.6 Endocrine disrupting properties

Does not contain a relevant substance that meets the classification criteria.

#### 12.7 Other adverse effects

No classification on the basis of the calculation procedure of the preparation directive.

### SECTION 13: Disposal considerations

#### 13.1 Waste treatment methods

Waste material must be disposed of in accordance with the Directive on waste 2008/98/EC as well as other national and local regulations. It is not possible to determine a waste code for this product in accordance with the European Waste Catalogue (EWC) since it is only possible to classify it according to how it is used by the customer. The waste code is to be determined within the EU in liaison with the waste-disposal operator.

##### Product

In according to RoHS!  
Disposal in an incineration plant in accordance with the regulations of the local authorities.  
For recycling, consult manufacturer.

##### Waste no. (recommended)

130205\* mineral-based non-chlorinated engine, gear and lubricating oils

##### Contaminated packaging

Uncontaminated packaging may be taken for recycling.  
Packaging that cannot be cleaned should be disposed of as for product.

##### Waste no. (recommended)

150102  
150104  
150110\* packaging containing residues of or contaminated by hazardous substances

### SECTION 14: Transport information

#### 14.1 UN number or ID number

Transport by land according to ADR/RID not applicable

Inland navigation (ADN) not applicable

Marine transport in accordance with IMDG not applicable

Air transport in accordance with IATA not applicable

#### 14.2 UN proper shipping name

Transport by land according to ADR/RID NO DANGEROUS GOODS

Inland navigation (ADN) NO DANGEROUS GOODS

Marine transport in accordance with IMDG NOT CLASSIFIED AS "DANGEROUS GOODS"

Air transport in accordance with IATA NOT CLASSIFIED AS "DANGEROUS GOODS"

#### 14.3 Transport hazard class(es)

Transport by land according to ADR/RID not applicable

Inland navigation (ADN) not applicable

Marine transport in accordance with IMDG not applicable

Air transport in accordance with IATA not applicable

#### 14.4 Packing group

Transport by land according to ADR/RID not applicable

Inland navigation (ADN) not applicable

Marine transport in accordance with IMDG not applicable

Air transport in accordance with IATA not applicable

#### 14.5 Environmental hazards

Transport by land according to ADR/RID no

Inland navigation (ADN) no

Marine transport in accordance with IMDG no

Air transport in accordance with IATA no

#### 14.6 Special precautions for user

Relevant information under SECTION 6 to 8.

#### 14.7 Maritime transport in bulk according to IMO instruments

### SECTION 15: Regulatory information

#### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

<b>EEC-REGULATIONS</b>	2008/98/EG (2000/532/EC ); 2010/75/EU; 2004/42/EG; (EG) 648/2004; (EC) 1907/2006 (REACH); (EU) 1272/2008; 75/324/EWG ((EC) 2016/2037); (EU) 2020/878; (EU) 2016/131; (EU) 517/2014; (EU) 2019/1148; (EU) 2019/1021, (EU) 2023/707
- Comment on component parts	Substances of Very High Concern - SVHC: substances are not contained or are below 0.1%.
- Annex XIV (REACH)	According to Annex XIV of Regulation (EC) 1907/2006 (REACH) the product does not contain any substances $\geq 0.1\%$ that are subject to authorisation.
- Annex XVII (REACH)	According to Annex XVII of Regulation (EC) 1907/2006 (REACH) the product contains $\geq 0.1\%$ of substances with the following restrictions. 75 According to Annex XVII of Regulation (EC) 1907/2006 (REACH) the product is not subject to any restrictions.
<b>TRANSPORT-REGULATIONS</b>	ADR (2025); IMDG-Code (2025, 42. Amdt.); IATA-DGR (2025)
<b>NATIONAL REGULATIONS (UK):</b>	EH40/2005 Workplace exposure limits (Second edition, published December 2011); UK REACH; GB CLP.
- Observe employment restrictions for people	no
- VOC (2010/75/CE)	not relevant

## 15.2 Chemical safety assessment

For this product a chemical safety assessment has not been carried out.

## SECTION 16: Other information

### 16.1 Hazard statements (SECTION 3)

H410 Very toxic to aquatic life with long lasting effects.  
H400 Very toxic to aquatic life.  
H373 May cause damage to organs through prolonged or repeated exposure.  
H335 May cause respiratory irritation.  
H318 Causes serious eye damage.  
H314 Causes severe skin burns and eye damage.  
H319 Causes serious eye irritation.  
H411 Toxic to aquatic life with long lasting effects.  
H317 May cause an allergic skin reaction.  
H302 Harmful if swallowed.  
H304 May be fatal if swallowed and enters airways.

### 16.2 Abbreviations and acronyms:

ADR = Accord européen relatif au transport international des marchandises Dangereuses par Route  
RID = Règlement concernant le transport international ferroviaire de marchandises dangereuses  
ADN = Accord européen relatif au transport international des marchandises dangereuses par voie de navigation intérieure  
ATE = acute toxicity estimate  
CAS = Chemical Abstracts Service  
CLP = Classification, Labelling and Packaging  
DMEL = Derived Minimum Effect Level  
DNEL = Derived No Effect Level  
EC50 = Median effective concentration  
ECB = European Chemicals Bureau  
EEC = European Economic Community  
EINECS = European Inventory of Existing Commercial Chemical Substances  
EL50 = Median effective loading  
ELINCS = European List of Notified Chemical Substances  
EmS = Emergency Schedules  
GHS = Globally Harmonized System of Classification and Labelling of Chemicals  
IATA = International Air Transport Association  
IBC-Code = International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk  
IC50 = Inhibition concentration, 50%  
IMDG = International Maritime Code for Dangerous Goods  
IUCLID = International Uniform Chemical Information Database  
IVIS = In vitro irritation score  
LC50 = Lethal concentration, 50%  
LD50 = Median lethal dose  
LC0 = lethal concentration, 0%  
LOAEL = lowest-observed-adverse-effect level  
LL50 = Median lethal loading  
LQ = Limited Quantities  
MARPOL = International Convention for the Prevention of Marine Pollution from Ships  
NOAEL = No Observed Adverse Effect Level  
NOEC = No Observed Effect Concentration  
PBT = Persistent, Bioaccumulative and Toxic substance  
PNEC = Predicted No-Effect Concentration  
REACH = Registration, Evaluation, Authorisation and Restriction of Chemicals  
STP = Sewage Treatment Plant  
TLV@/TWA = Threshold limit value – time-weighted average  
TLV@STEL = Threshold limit value – short-time exposure limit  
VOC = Volatile Organic Compounds  
vPvB = very Persistent and very Bioaccumulative

### 16.3 Other information

#### Classification procedure

Aquatic Chronic 3: H412 Harmful to aquatic life with long lasting effects. (Calculation method)

#### Modified position

none

