



RDW

Centrum voor voertuigtechniek en informatie

THE NETHERLANDS



### EEC TYPE-APPROVAL CERTIFICATE

Communication concerning the:

- type-approval
- ~~extension of type approval~~
- ~~refusal of type approval~~
- ~~withdrawal of type approval~~


of a type of component (towing bracket) with regard to Directive 94/20/EC

Type-approval number: e4\*94/20\*0596\*00

Reason for extension:


#### SECTION I

- |        |  |   |
|--------|--|---|
| 0.1    | Make (trade name of manufacturer)  | : Bosal                                 |
| 0.2.   | Type and general commercial description(s)   | : 025781                                |
| 0.3.   | Means of identification of type if marked on the component   | : Approval number                       |
| 0.3.1. | Location of the marking  | : on type plate                         |
| 0.5.   | Name and address of manufacturer   | : Bosal<br>Postbus 168<br>4920 AD MADE  |
| 0.7.   | In the case of components and separate technical units, location and method of affixing of the EEC approval mark | : on type plate                         |
| 0.8.   | Name(s) and address(es) of assembly plants   | : see information document (Annex III), |



Type-approval number : e4\*94/20\*0596\*00

SECTION II

1. Additional information  
(where applicable) : see Appendix I
2. Technical service responsible for  
carrying out the tests : RDW  
Testbaan Centrum  
Talingweg 76  
8218 NX Lelystad
3. Date of test report : 20-03-1997
4. Number of test report : TCL-94/20-017/97
5. Remarks (if any) : see Appendix I
6. Place : Zoetermeer
7. Date : 21 MEI 1997
8. Signature :   
I. Stoffels RDW
9. The index to the information package lodged with the competent authority  
that has granted type-approval, which may be obtained on request:
  - Application form relating to Annex III and annexed drawings
  - Drawings and instructions for attachment
  - Fitting instructions
  - Testreport, as mentioned in item 4.

751-0317

Appendix I  
to EEC type-approval certificate No : e4\*94/20\*0596\*00  
concerning the component type-approval of mechanical coupling devices with regard to  
Directive 94/20/EC

1. Additional information

- |   |   |                          |
|---|---|--------------------------|
| 1.1. Class of the type of coupling  | : | A50-X                    |
| 1.2. Categories or types of vehicles for which the device is designed or restricted   | : | see fitting instructions |
| 1.3. Maximum D-value  | : | 8.48 kN                  |
| 1.4. Maximum vertical load S at the coupling point  | : | 75 kg                    |
| 1.5. Maximum load U at the fifth wheel coupling point   | : | -- ton                   |
| 1.6. Maximum V-value  | : | -- kN                    |
| 1.7. Instructions for attachment of the coupling type to the vehicle and photographs or drawings of the fixing points at the vehicle given by the manufacturer; additional information if the use of the coupling type is restricted to special types of vehicles | : | see fitting instructions |
| 1.8. Information on the fitting of special towing brackets or mounting plates   | : | see fitting instructions |

- |            |   |   |
|------------|---|---|
| 5. Remarks | : | The fitting of the towbar on the vehicle must be checked according to annex I, par. 5.10, according to the prescriptions mentioned in annex VII |
|------------|---|---|

