



THE NETHERLANDS



EEC TYPE-APPROVAL CERTIFICATE

Communication concerning the:

- type-approval
- extension-of-type-approval
- refusal-of-type-approval
- withdrawal-of-type-approval


of a type of component (towing bracket) with regard to Directive 94/20/EC

Type-approval number: e4*94/20*0830*00

Reason for extension:


SECTION I

- 0.1 Make (trade name of manufacturer) : Bosal
- 0.2. Type and general commercial description(s) : 022401
- 0.3. Means of identification of type if
marked on the component : Approval number
- 0.3.1. Location of the marking : on type plate
- 0.5. Name and address of manufacturer : Bosal
Postbus 168
4920 AD MADE
- 0.7. In the case of components and separate
technical units, location and method of
affixing of the EEC approval mark : on type plate
- 0.8. Name(s) and address(es) of assembly plants : see information
document
(Annex 4) Item 0.8



Type-approval number : e4*94/20*0830*00

SECTION II

1. Additional information
(where applicable) : see Appendix I
2. Technical service responsible for
carrying out the tests : RDW
Testbaan|Centrum
Talingweg 76
8218 NX Lelystad
3. Date of test report : 13-08-1997
4. Number of test report : TCL-94/20-200/97
5. Remarks (if any) : see Appendix I
6. Place : Zoetermeer
7. Date : **29 SEP. 1997**
8. Signature : 
The signature is a stylized, handwritten mark in black ink, enclosed within a circular stamp. The stamp features a coat of arms with a crown on top and the text 'RDW' and 'Ganga' around it.
9. The index to the information package lodged with the competent authority
that has granted type-approval, which may be obtained on request:
 - Application form relating to Annex III and annexed drawings
 - Drawings and instructions for attachment
 - Fitting instructions
 - Testreport, as mentioned in item 4.

751-5646

Appendix I
to EEC type-approval certificate No : e4*94/20*0830*00
concerning the component type-approval of mechanical coupling devices with regard to
Directive 94/20/EC

1. Additional information.

- | | | |
|---|---|--------------------------|
| 1.1. Class of the type of coupling | : | A50-X |
| 1.2. Categories or types of vehicles for which the device is designed or restricted | : | see fitting instructions |
| 1.3. Maximum D-value | : | 7.91 kN |
| 1.4. Maximum vertical load S at the coupling point | : | 70 kg |
| 1.5. Maximum load U at the fifth wheel coupling point | : | -- ton |
| 1.6. Maximum V-value | : | -- kN |
| 1.7. Instructions for attachment of the coupling type to the vehicle and photographs or drawings of the fixing points at the vehicle given by the manufacturer; additional information if the use of the coupling type is restricted to special types of vehicles | : | see fitting instructions |
| 1.8. Information on the fitting of special towing brackets or mounting plates | : | see fitting instructions |

- | | | |
|------------|---|---|
| 5. Remarks | : | The fitting of the towbar on the vehicle must be checked according to annex I, par. 5.10, according to prescriptions mentioned in annex VII |
|------------|---|---|

